



## C0223M - Lincat Convector Manual+ Electric Counter-top Convection Oven - W 810 mm - D 850 mm - 3.0 kW

Able to roast, braise, bake and reheat, a C0223M Convector convection oven is a powerful addition to any commercial kitchen.

- ✓ 2 x GN1/1 capacity
- ✓ Easy-to-use knob-driven control, and electronic fan control
- ✓ Mechanical temperature control from 60° to 260° C
- ✓ Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- ✓ Two fan speeds - standard for general use and slow for delicate items
- ✓ 120 minute count down timer with electronically-controlled buzzer
- ✓ Oven lamps flash when cook cycle has finished - see when your food is done even in the busiest kitchen

### Specifications

#### Summary

<b>Brand</b>	Lincat
<b>Range</b>	Convector
<b>Series</b>	Manual+
<b>Power Type</b>	Electric
<b>Unit Type</b>	Counter-top
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105118268

#### Power and Performance

<b>Total Power kW</b>	3.0
<b>Temperature Range °C</b>	60-260
<b>IP Rating</b>	IP23
<b>Controls Position</b>	Right hand side
<b>Temperature Control</b>	Mechanical
<b>Timer Range mins</b>	1-120
<b>Oven Rating kW</b>	2.8

## Key Specifications

<b>Stackable</b>	Yes (with optional kit)
<b>Feet Height/Type</b>	55mm/adjustable
<b>Continuous Plug-In Door Seal</b>	Yes
<b>Removable Inner Door Glass</b>	Yes
<b>Handle Type</b>	Grab
<b>Vented Door</b>	Yes
<b>Reversible Door</b>	No
<b>Door Type</b>	Drop down
<b>Phased Cooking</b>	No
<b>Shelf Timer(s) (Number)</b>	No
<b>Grill Element/Mode</b>	No
<b>Core Temp Probe</b>	No
<b>Steam Injection</b>	No
<b>Fan(s) Speed</b>	2
<b>Fan(s) Type</b>	Bi-Directional
<b>Number of Fan(s)</b>	1
<b>Euronorm Compatible</b>	Yes
<b>Sheet Pan Compatible</b>	Yes
<b>Removeable Shelf Guides</b>	Yes
<b>Manual Mode</b>	Yes
<b>Programmable</b>	No
<b>Timer Type</b>	Mechanical
<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	2
<b>Type of Lighting</b>	Halogen Bulb
<b>Construction/Finish</b>	430 S/S cavity
<b>GN Compatible</b>	Yes

## Capacity

<b>Gastronorm Capacity</b>	2 x GN1/1
<b>Euronorm Capacity</b>	2 x 600 mm x 400 mm
<b>Shelf Spacing mm</b>	110
<b>Sheet Pan Capacity</b>	2 x 660 mm x 460 mm
<b>Capacity Litres</b>	96.0

## Weights and Dimensions

<b>Unit Height (External) mm</b>	645
<b>Unit Width (External) mm</b>	810
<b>Unit Depth (External) mm</b>	850
<b>Height (Internal) mm</b>	308
<b>Width (Internal) mm</b>	690
<b>Depth (Internal) mm</b>	470
<b>Shelf Dimensions Width mm</b>	660
<b>Shelf Dimensions Depth mm</b>	425
<b>Net Weight Kg</b>	78.9

## Supply Connections

<b>Requires Installation</b>	No
<b>Requires Electrical Supply</b>	Yes
<b>UK 3 Pin Plug</b>	Yes
<b>Requires Hardwiring</b>	No
<b>Electrical Supply Rating Watts</b>	3,000
<b>Single Phase Amps</b>	13.0
<b>Single Phase Voltage</b>	230
<b>USB Port</b>	No




## Shipping

<b>Packed Weight Kg</b>	91
<b>Packed Height cm</b>	81.5
<b>Packed Width cm</b>	88
<b>Packed Depth cm</b>	100

## Available Accessories

<b>CO200/FS</b>	Lincat Convector Floor Stand for CO223M/CO223T/CO235M/CO235T Convection Ovens - with 4 Runners - W 810 mm
<b>CO200/LFSK</b>	Lincat Convector Low Floor Stand and Stacking Kit for CO223M/CO223T/CO235M/CO235T Convection Ovens - with 1 Runner - W 810 mm

## Technical Picture



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 503250  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm