



## Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 13

SDS No. : 387889

V001.3

Revision: 10.08.2021

printing date: 15.03.2024

Replaces version from: 10.06.2019

**Bloo Power Active - Lemon**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Bloo Power Active - Lemon blue

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

total WC care

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd.

Wood Lane End, Hemel Hempstead

HP2 4RQ Hertfordshire

Phone: +44 (0) 1442 278000

consumer.response@henkel.com

#### 1.4. Emergency telephone number

0800 051 4433 (Monday to Friday from 9.00 to 17:00)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP):

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Irrit. 2

H315 Causes skin irritation.

#### 2.2. Label elements

##### Label elements (CLP):

##### Hazard pictogram:



##### Signal word:

Warning

##### Hazard statement:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary statement:** P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

None if used properly.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

### 3.2. Mixtures

#### Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	270-115-0	01-2119489428-22	>= 20- < 25 %	Acute toxicity 4; Oral H302 Skin irritation 2 H315 Serious eye damage 1 H318 Chronic hazards to the aquatic environment 3 H412
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6		01-2119513401-57	>= 10- < 20 %	Skin irritation 2; Dermal H315 Serious eye damage 1 H318
Alcohol ethoxylate C16-18 25EO 68439-49-6			>= 5- < 10 %	Serious eye irritation 2 H319
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 1- < 5 %	Serious eye irritation 2 H319

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of adverse health effects seek medical advice.

#### Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advice.

#### Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

#### Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

#### Ingestion:

Do not induce vomiting, seek medical advice immediately.  
Rinse mouth with water, (only if the person is conscious).

**4.2. Most important symptoms and effects, both acute and delayed**

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Temporary irritation of the skin (redness, swelling, burning).

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting. Vomit may get into the lungs causing damage (aspiration).

**4.3. Indication of any immediate medical attention and special treatment needed**

After inhalation: No special action.

After skin contact: No special action.

After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simeticon).

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions.

Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

**Extinguishing media which must not be used for safety reasons:**

None

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

**5.3. Advice for firefighters**

Use personal protective equipment and self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

If large amounts are released contact the fire service.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Remove mechanically. Rinse away residue with plenty of water.

**6.4. Reference to other sections**

See advice in section 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

No special measures required if used properly.

**Hygiene measures:**

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

**7.2. Conditions for safe storage, including any incompatibilities**

Store dry at between +5 and +40°C.  
Consider national regulations.

**7.3. Specific end use(s)**

total WC care

**SECTION 8: Exposure controls/personal protection**

Only relevant for professional/industrial use

**8.1. Control parameters**

Valid for  
Great Britain

Contains no components with occupational exposure limit values.

**8.2. Exposure controls**

Respiratory protection:  
Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:  
Wear tight fitting goggles.

Skin protection:  
Protective clothing against chemicals. Observe manufacturer's instructions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

**The following data apply to the whole mixture.**

a) Appearance	pearls solid dark blue
b) Odor	citric
c) Odour threshold	No data available / Not applicable
d) pH (20 °C (68 °F); Conc.: 1 % product; Solvent: Water)	9,9 - 10,3
e) Melting point	No data available / Not applicable
f) Initial boiling point and boiling range	No data available / Not applicable
g) Flash point	Not applicable
h) Evaporation rate	No data available / Not applicable
i) Flammability (solid , gas)	No data available / Not applicable
j) Upper / lower flammability or explosive limits	No data available / Not applicable
k) Vapour pressure	No data available / Not applicable
l) Vapor density	No data available / Not applicable
m) Relative density	No data available / Not applicable
n) Solubility (ies)	soluble in water
o) Partition coefficient: n-octanol/water	No data available / Not applicable
p) Auto-ignition temperature	No data available / Not applicable
q) Decomposition temperature	No data available / Not applicable

- |                         |                                    |
|-------------------------|------------------------------------|
| r) Viscosity            | No data available / Not applicable |
| s) Explosive properties | No data available / Not applicable |
| t) Oxidising properties | No data available / Not applicable |

**9.2. Other information**

Not applicable

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None if used for intended purpose.

**10.2. Chemical stability**

Stable under normal conditions of temperature and pressure.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

No decomposition if used according to specifications.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

No decomposition if used according to specifications.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	LD50	1.080 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	LD50	2.079 mg/kg	rat	not specified
Alcohol ethoxylate C16- 18 25EO 68439-49-6	LD50	> 10.000 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified

**Acute dermal toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LD50	6.300 - 13.500 mg/kg	rabbit	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	LD50	> 5.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)

**Acute inhalative toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Test atmosphere	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LC50	> 52 mg/l	vapour	4 h	rat	not specified

**Skin corrosion/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	Category 2 (irritant)	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Alcohol ethoxylate C16-18 25EO 68439-49-6	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious eye damage/irritation:**

The product has to be classified as eye irritation category 2 based on experimental data of an OECD 437 and an OECD 438 Test with a similar mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	Category 1 (irreversible effects on the eye)	30 s	rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	highly irritating		rabbit	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	irritating		rabbit	not specified
Sodium carbonate 497-19-8	irritating		rabbit	not specified

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		EU Method B.13/14 (Mutagenicity)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	in vitro mammalian chromosome aberration test	without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	negative	bacterial reverse mutation assay (e.g Ames test)			OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	negative	in vitro mammalian chromosome aberration test			OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

**Carcinogenicity**

No data available.

**Reproductive toxicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Test type	Route of application	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOAEL P 350 mg/kg NOAEL F1 350 mg/kg NOAEL F2 350 mg/kg	three-generation study	oral: feed	rat	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	NOAEL P >= 250 mg/kg NOAEL F1 >= 250 mg/kg	Two generation study	dermal	rat	equivalent or similar to OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)

**STOT-single exposure:**

No data available.

**STOT-repeated exposure::**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOAEL 125 mg/kg	oral: gavage	28 d daily	rat	not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOAEL 195 mg/kg	oral: unspecified	chronic	rat	not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOAEL 259 mg/kg	oral: unspecified	chronic	rat	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	NOAEL >= 500 mg/kg	oral: feed	90 d daily	rat	equivalent or similar to OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

**Aspiration hazard:**

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOEC	> 0,43 - 0,89 mg/l	28 d	Salmo gairdneri (new name: Oncorhynchus mykiss)	OECD Guideline 210 (fish early lite stage toxicity test)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	LC50	1,67 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LC50	> 3,4 - 4,9 mg/l	96 h	Leuciscus idus	DIN 38412-15
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	1,8 mg/l		Pimephales promelas	OECD Guideline 210 (fish early lite stage toxicity test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	LC50	3,5 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Sodium carbonate 497-19-8	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)

#### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	EC50	2,9 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC50	4,53 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC50	> 1 - 10 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Sodium carbonate 497-19-8	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

#### Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOEC	1,18 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	6,3 mg/l	21 h	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)

#### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	EC50	127,9 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOEC	2,4 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC50	5,2 mg/l	72 h	Skeletonema costatum	ISO 10253:2006 (Marine algal growth inhibition test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	3,2 mg/l	72 h	Skeletonema costatum	ISO 10253:2006 (Marine algal growth inhibition test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC50	65 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC10	> 1 mg/l	72 h	not specified	OECD Guideline 201 (Alga, Growth Inhibition Test)
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)

#### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	EC0	26 mg/l	16 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC10	14 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC0	> 5.000 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified

#### 12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	readily biodegradable	aerobic	85 %	29 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	inherently biodegradable	aerobic	88 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	readily biodegradable	aerobic	98 %	30 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	inherently biodegradable	aerobic	> 80 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	readily biodegradable	aerobic	> 60 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)

**12.3. Bioaccumulative potential**

Does not bioaccumulate.

No substance data available.

**12.4. Mobility in soil**

Hazardous substances CAS-No.	LogPow	Temperature	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	3,32		not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	-1,3	20 °C	EU Method A.8 (Partition Coefficient)

**12.5. Results of PBT and vPvB assessment**

Hazardous substances CAS-No.	PBT / vPvB
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Sodium carbonate 497-19-8	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances.

**12.6. Other adverse effects**

Other adverse effects of this product for the environment are not known to us.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

**SECTION 14: Transport information**

- 14.1. UN number**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**  
not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Declaration of ingredients according to Detergent Regulation 648/2004/EC**

> 30 %	anionic surfactants
5 - 15 %	non-ionic surfactants
Further ingredients	Perfumes
	Limonene
	Citral

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):

2, 3, 11, 12



## Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 13

SDS No. : 387889

V001.3

Revision: 10.08.2021

printing date: 15.03.2024

Replaces version from: 10.06.2019

**Bloo Power Active - Lemon**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Bloo Power Active - Lemon yellow

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

total WC care

#### 1.3. Details of the supplier of the safety data sheet

Henkel Ltd.

Wood Lane End, Hemel Hempstead

HP2 4RQ Hertfordshire

Phone: +44 (0) 1442 278000

consumer.response@henkel.com

#### 1.4. Emergency telephone number

0800 051 4433 (Monday to Friday from 9.00 to 17:00)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP):

Skin Irrit. 2

H315 Causes skin irritation.

Eye Irrit. 2

H319 Causes serious eye irritation.

#### 2.2. Label elements

##### Label elements (CLP):

##### Hazard pictogram:



##### Signal word:

Warning

##### Hazard statement:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary statement:** P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

None if used properly.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

### 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	270-115-0	01-2119489428-22	>= 20- < 25 %	Acute toxicity 4; Oral H302 Skin irritation 2 H315 Serious eye damage 1 H318 Chronic hazards to the aquatic environment 3 H412
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6		01-2119513401-57	>= 10- < 20 %	Skin irritation 2; Dermal H315 Serious eye damage 1 H318
Alcohol ethoxylate C16-18 25EO 68439-49-6			>= 5- < 10 %	Serious eye irritation 2 H319
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 1- < 5 %	Serious eye irritation 2 H319

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advice.

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

**4.2. Most important symptoms and effects, both acute and delayed**

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Temporary irritation of the skin (redness, swelling, burning).

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting. Vomit may get into the lungs causing damage (aspiration).

**4.3. Indication of any immediate medical attention and special treatment needed**

After inhalation: No special action.

After skin contact: No special action.

After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simeticon).

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions.

Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

**Extinguishing media which must not be used for safety reasons:**

None

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

**5.3. Advice for firefighters**

Use personal protective equipment and self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

If large amounts are released contact the fire service.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Remove mechanically. Rinse away residue with plenty of water.

**6.4. Reference to other sections**

See advice in section 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

No special measures required if used properly.

**Hygiene measures:**

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

**7.2. Conditions for safe storage, including any incompatibilities**

Store dry at between +5 and +40°C.  
Consider national regulations.

**7.3. Specific end use(s)**

total WC care

**SECTION 8: Exposure controls/personal protection**

**Only relevant for professional/industrial use**

**8.1. Control parameters**

Valid for  
Great Britain

Contains no components with occupational exposure limit values.

**8.2. Exposure controls**

Respiratory protection:  
Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:  
Wear tight fitting goggles.

Skin protection:  
Protective clothing against chemicals. Observe manufacturer's instructions.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

**The following data apply to the whole mixture.**

a) Appearance	pearls solid yellow
b) Odor	citric
c) Odour threshold	No data available / Not applicable
d) pH (20 °C (68 °F); Conc.: 1 % product; Solvent: Water)	9,9 - 10,3
e) Melting point	No data available / Not applicable
f) Initial boiling point and boiling range	No data available / Not applicable
g) Flash point	Not applicable
h) Evaporation rate	No data available / Not applicable
i) Flammability (solid , gas)	No data available / Not applicable
j) Upper / lower flammability or explosive limits	No data available / Not applicable
k) Vapour pressure	No data available / Not applicable
l) Vapor density	No data available / Not applicable
m) Relative density	No data available / Not applicable
n) Solubility (ies)	soluble in water
o) Partition coefficient: n-octanol/water	No data available / Not applicable
p) Auto-ignition temperature	No data available / Not applicable
q) Decomposition temperature	No data available / Not applicable

- |                         |                                    |
|-------------------------|------------------------------------|
| r) Viscosity            | No data available / Not applicable |
| s) Explosive properties | No data available / Not applicable |
| t) Oxidising properties | No data available / Not applicable |

**9.2. Other information**

Not applicable

**SECTION 10: Stability and reactivity****10.1. Reactivity**

None if used for intended purpose.

**10.2. Chemical stability**

Stable under normal conditions of temperature and pressure.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

No decomposition if used according to specifications.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

No decomposition if used according to specifications.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	LD50	1.080 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	LD50	2.079 mg/kg	rat	not specified
Alcohol ethoxylate C16- 18 25EO 68439-49-6	LD50	> 10.000 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified

**Acute dermal toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LD50	6.300 - 13.500 mg/kg	rabbit	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	LD50	> 5.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)

**Acute inhalative toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Test atmosphere	Exposure time	Species	Method
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LC50	> 52 mg/l	vapour	4 h	rat	not specified

**Skin corrosion/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	Category 2 (irritant)	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Alcohol ethoxylate C16-18 25EO 68439-49-6	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious eye damage/irritation:**

The product has to be classified as eye irritation category 2 based on experimental data of an OECD 437 and an OECD 438 Test with a similar mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	Category 1 (irreversible effects on the eye)	30 s	rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	highly irritating		rabbit	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	irritating		rabbit	not specified
Sodium carbonate 497-19-8	irritating		rabbit	not specified

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	not sensitising	Guinea pig maximisation test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		EU Method B.13/14 (Mutagenicity)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	in vitro mammalian chromosome aberration test	without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	negative	bacterial reverse mutation assay (e.g Ames test)			OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Sulfonic acids, C14-16- alkane hydroxy and C14- 16-alkene, sodium salts 68439-57-6	negative	in vitro mammalian chromosome aberration test			OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	negative	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Alcohol ethoxylate C16- 18 25EO 68439-49-6	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

**Carcinogenicity**

No data available.

**Reproductive toxicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Test type	Route of application	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOAEL P 350 mg/kg NOAEL F1 350 mg/kg NOAEL F2 350 mg/kg	three-generation study	oral: feed	rat	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	NOAEL P >= 250 mg/kg NOAEL F1 >= 250 mg/kg	Two generation study	dermal	rat	equivalent or similar to OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)

**STOT-single exposure:**

No data available.

**STOT-repeated exposure::**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOAEL 125 mg/kg	oral: gavage	28 d daily	rat	not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOAEL 195 mg/kg	oral: unspecified	chronic	rat	not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOAEL 259 mg/kg	oral: unspecified	chronic	rat	not specified
Alcohol ethoxylate C16-18 25EO 68439-49-6	NOAEL >= 500 mg/kg	oral: feed	90 d daily	rat	equivalent or similar to OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

**Aspiration hazard:**

No data available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOEC	> 0,43 - 0,89 mg/l	28 d	Salmo gairdneri (new name: Oncorhynchus mykiss)	OECD Guideline 210 (fish early lite stage toxicity test)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	LC50	1,67 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	LC50	> 3,4 - 4,9 mg/l	96 h	Leuciscus idus	DIN 38412-15
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	1,8 mg/l		Pimephales promelas	OECD Guideline 210 (fish early lite stage toxicity test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	LC50	3,5 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Sodium carbonate 497-19-8	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)

#### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	EC50	2,9 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC50	4,53 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC50	> 1 - 10 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Sodium carbonate 497-19-8	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

#### Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOEC	1,18 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	6,3 mg/l	21 h	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)

#### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	EC50	127,9 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	NOEC	2,4 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC50	5,2 mg/l	72 h	Skeletonema costatum	ISO 10253:2006 (Marine algal growth inhibition test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	NOEC	3,2 mg/l	72 h	Skeletonema costatum	ISO 10253:2006 (Marine algal growth inhibition test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC50	65 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	DIN 38412-09
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC10	> 1 mg/l	72 h	not specified	OECD Guideline 201 (Alga, Growth Inhibition Test)
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)

#### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	EC0	26 mg/l	16 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm-Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	EC10	14 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	EC0	> 5.000 mg/l	3 h	activated sludge	OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)
Sodium carbonate 497-19-8	EC 50	300 mg/l	30 min		not specified

#### 12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	readily biodegradable	aerobic	85 %	29 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	inherently biodegradable	aerobic	88 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	readily biodegradable	aerobic	98 %	30 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	inherently biodegradable	aerobic	> 80 %	28 d	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Alcohol ethoxylate C16-18 25EO 68439-49-6	readily biodegradable	aerobic	> 60 %	28 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)

**12.3. Bioaccumulative potential**

Does not bioaccumulate.

No substance data available.

**12.4. Mobility in soil**

Hazardous substances CAS-No.	LogPow	Temperature	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	3,32		not specified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	-1,3	20 °C	EU Method A.8 (Partition Coefficient)

**12.5. Results of PBT and vPvB assessment**

Hazardous substances CAS-No.	PBT / vPvB
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.
Sodium carbonate 497-19-8	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances.

**12.6. Other adverse effects**

Other adverse effects of this product for the environment are not known to us.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

**SECTION 14: Transport information**

- 14.1. UN number**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**  
not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Declaration of ingredients according to Detergent Regulation 648/2004/EC**

> 30 %	anionic surfactants
5 - 15 %	non-ionic surfactants
Further ingredients	Perfumes
	Limonene
	Citral

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):

12