

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

B 170 XD

UFI: PV3Y-JAJG-R98W-FVS6

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Special rinse aid

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name: Winterhalter Gastronom GmbH
Street: Winterhalterstrasse 2 - 12
Place: D-88074 Meckenbeuren
Telephone: +49 7542 4020
e-mail: info@winterhalter.com
Contact person: Business Unit Chemicals
e-mail: sds@winterhalter.com
Internet: www.winterhalter.com

Supplier

Company name: Winterhalter Ltd.
Street: Winterhalter House, Roebuck Way
Place: GB Knowlhill Milton Keynes MK5 8WH
Telephone: +44 1908 3590-00
e-mail: info@winterhalter.co.uk
Contact person: Business Unit Chemicals
e-mail: sds@winterhalter.com
Internet: www.winterhalter.co.uk

1.4. Emergency telephone number:

Domestic emergency number (Chemtrec): +44 20 3807 3798
international emergency number (Chemtrec): +44 20 3885 0382

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Acute Tox. 4; H302
Skin Irrit. 2; H315
Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

ethoxylated alkyl alcohol

Signal word: Warning

Pictograms:



according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 2 of 13

Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

P280	Wear protective gloves and eye/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
--------	---

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
196823-11-7	Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block			25 - < 50 %
	Eye Irrit. 2; H319			
	ethoxylated alkyl alcohol			25 - < 50 %
	Acute Tox. 4, Skin Irrit. 2; H302 H315			
15763-76-5	Sodium p-cumenesulphonate			0.3 - < 2.5 %
	239-854-6		01-2119489411-37	
	Eye Irrit. 2; H319			
2634-33-5	1,2-benzisothiazol-3(2H)-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411			
26530-20-1	2-octyl-2H-isothiazol-3-one			< 0.1 %
	247-761-7	613-112-00-5		
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
196823-11-7		Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block	25 - < 50 %
		oral: LD50 = >2000-5000 mg/kg	
		ethoxylated alkyl alcohol	25 - < 50 %
		oral: LD50 = >300-2000 mg/kg	
15763-76-5	239-854-6	Sodium p-cumenesulphonate	0.3 - < 2.5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 500 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 Aquatic Acute 1; H400: M=1	
26530-20-1	247-761-7	2-octyl-2H-isothiazol-3-one	< 0.1 %
		inhalation: ATE 0,27 mg/l (dusts or mists); dermal: ATE 311 mg/kg; oral: ATE 125 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100	

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % non-ionic surfactants, < 5 % amphoteric surfactants, preservation agents (Benzisothiazolinone, OCTYLISOTHIAZOLINONE).

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 4 of 13

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Special rinse aid

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 5 of 13

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
15763-76-5	Sodium p-cumenesulphonate		
Worker DNEL, long-term	dermal	systemic	136,25 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	26,9 mg/m ³
Worker DNEL, long-term	dermal	local	0,096 mg/cm ²
Consumer DNEL, long-term	dermal	systemic	68,1 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	6,6 mg/m ³
Consumer DNEL, long-term	oral	systemic	3,8 mg/kg bw/day
Consumer DNEL, long-term	dermal	local	0,048 mg/cm ²

PNEC values

CAS No	Substance	
Environmental compartment	Value	
15763-76-5	Sodium p-cumenesulphonate	
Freshwater	0,23 mg/l	
Marine water	0,023 mg/l	
Freshwater sediment	0,862 mg/kg	
Marine sediment	0,0862 mg/kg	
Micro-organisms in sewage treatment plants (STP)	100 mg/l	
Soil	0,037 mg/kg	
26530-20-1	2-octyl-2H-isothiazol-3-one	
Freshwater	0,0022 mg/l	
Freshwater (intermittent releases)	0,0122 mg/l	
Marine water	0,00022 mg/l	
Marine water (intermittent releases)	0,00122 mg/l	
Freshwater sediment	0,0475 mg/kg	
Marine sediment	0,00475 mg/kg	
Soil	0,0082 mg/kg	

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Open windows to ensure natural ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Eye glasses (EN 166)

Hand protection

Use of protective gloves (EN 374)

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 6 of 13

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required if handled as intended.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	colourless	
Odour:	product-specific	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not applicable
		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		8,5
Water solubility:		easily soluble
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,03 g/cm ³
Relative vapour density:		not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 7 of 13

10.6. Hazardous decomposition products

No decomposition when stored and used as directed.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1000,0 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
196823-11-7	Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block				
	oral	LD50 >2000-5000 mg/kg	Rat	Manufacturer	OECD 201
	ethoxylated alkyl alcohol				
	oral	LD50 >300-2000 mg/kg	Rat	Manufacturer	OECD 423
15763-76-5	Sodium p-cumenesulphonate				
	oral	LD50 >5000 mg/kg	Rat	Manufacturer	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	literature value	
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
26530-20-1	2-octyl-2H-isothiazol-3-one				
	oral	ATE 125 mg/kg			
	dermal	ATE 311 mg/kg			
	inhalation dust/mist	ATE 0,27 mg/l			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

No information available.

Safety Data Sheet

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 8 of 13

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 9 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
196823-11-7	Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block					
	Acute fish toxicity	LC50 mg/l	>1-10	96 h	Brachydanio rerio	Manufacturer OECD 203
	ethoxylated alkyl alcohol					
	Acute fish toxicity	LC50 mg/l	>10-100	96 h	Pimephales promelas (fathead minnow)	Manufacturer OECD 203
	Acute algae toxicity	ErC50 mg/l	>10-100	72 h	Pseudokirchneriella subcapitata	Manufacturer OECD 201
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	Manufacturer
15763-76-5	Sodium p-cumenesulphonate					
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)	literature value
	Acute algae toxicity	ErC50 mg/l	>100	96 h	Pseudokirchneriella subcapitata	literature value
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	literature value
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h		Manufacturer OECD 209
2634-33-5	1,2-benzisothiazol-3(2H)-one					
	Acute fish toxicity	LC50	2,2 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Manufacturer OECD 203
	Acute algae toxicity	ErC50 mg/l	0,11	72 h	Selenastrum capricornutum	Manufacturer OECD 201
	Acute crustacea toxicity	EC50 mg/l	3,27	48 h	Daphnie	Manufacturer OECD 202
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer OECD 215
	Algae toxicity	NOEC mg/l	0,04	3 d	Selenastrum capricornutum	Manufacturer OECD 201
	Crustacea toxicity	NOEC	1,2 mg/l	21 d	Daphnie	Manufacturer OECD 211
26530-20-1	2-octyl-2H-isothiazol-3-one					
	Acute fish toxicity	LC50 mg/l	0,036	96 h	Oncorhynchus mykiss (Rainbow trout)	Thor Specialities (UK) LTD. OECD 203
	Acute algae toxicity	ErC50 mg/l	0,084	72 h	Desmodesmus subspicatus	Thor Specialities (UK) LTD. OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,42	48 h	Daphnia	Thor Specialities (UK) LTD. OECD 202
	Fish toxicity	NOEC mg/l	0,022	28 d	Oncorhynchus mykiss (Rainbow trout)	Thor Specialities (UK) LTD. OECD 210
	Algae toxicity	NOEC mg/l	0,004	3 d	Algae	Thor Specialities (UK) LTD. OECD 201
	Crustacea toxicity	NOEC mg/l	0,002	21 d	Daphnia	Thor Specialities (UK) LTD. OECD 211

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 10 of 13

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
196823-11-7	Oxirane, methyl-, polymer with oxirane, monoisotridecyl ether, block			
	ISO 14593	>60%	28	
	Readily biodegradable (according to OECD criteria).			
	ethoxylated alkyl alcohol			
	OECD 301B	80-90%	28	
	Readily biodegradable (according to OECD criteria).			
	DIN EN ISO 11734	75%	60	
	Moderately/partially biodegradable.			
15763-76-5	Sodium p-cumenesulphonate			
	OECD 301B	>60%	28	literature value
	Readily biodegradable (according to OECD criteria).			
2634-33-5	1,2-benzisothiazol-3(2H)-one			
	OECD 307	0,04 d		Manufacturer
	OECD 302B	90%		Manufacturer
	OECD 303A	80%		Manufacturer

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,7
26530-20-1	2-octyl-2H-isothiazol-3-one	2,61

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one	6,95		
26530-20-1	2-octyl-2H-isothiazol-3-one	19,21		ECHA

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 11 of 13

List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): 0%

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 12 of 13

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
 Water hazard class (D): 2 - obviously hazardous to water
 Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

Safety Data Sheet

according to UK REACH Regulation

B 170 XD

Revision date: 06.12.2023

Product code: 89300321

Page 13 of 13

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)