

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

F 8500

UFI: VS0Y-AAQ6-R983-NKSV

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Hygiene all-purpose detergent

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name: Winterhalter Gastronom GmbH
Street: Winterhalterstrasse 2 - 12
Place: D-88074 Meckenbeuren
Telephone: +49 7542 4020
e-mail: info@winterhalter.com
Contact person: Business Unit Chemicals
e-mail: sds@winterhalter.com
Internet: www.winterhalter.com

Supplier

Company name: Winterhalter Ltd.
Street: Winterhalter House, Roebuck Way
Place: GB Knowlhill Milton Keynes MK5 8WH
Telephone: +44 1908 3590-00
e-mail: info@winterhalter.co.uk
Contact person: Business Unit Chemicals
e-mail: sds@winterhalter.com
Internet: www.winterhalter.co.uk

1.4. Emergency telephone number:

Domestic emergency number (Chemtrec): +44 20 3807 3798
international emergency number (Chemtrec): +44 20 3885 0382

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Met. Corr. 1; H290
Skin Corr. 1; H314
Eye Dam. 1; H318
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Potassium hydroxide
Sodium hydroxide
Sodium hypochlorite

Signal word: Danger

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 2 of 11

Pictograms:**Hazard statements**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P280	Wear protective gloves and eye/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of in accordance with official regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1310-58-3	Potassium hydroxide			10 - < 25 %
	215-181-3	019-002-00-8	01-2119487136-33	
	Acute Tox. 4, Skin Corr. 1A; H302 H314			
1310-73-2	Sodium hydroxide			2.5 - < 5 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Skin Corr. 1A; H314			
7681-52-9	Sodium hypochlorite			0.3 - < 2.5 %
	231-668-3	017-011-00-1	01-2119488154-34	
	Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H314 H318 H400 H410 EUH031			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1310-58-3	215-181-3	Potassium hydroxide	10 - < 25 %
	oral: LD50 = 333 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
1310-73-2	215-185-5	Sodium hydroxide	2.5 - < 5 %
	oral: LD50 = 325 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		
7681-52-9	231-668-3	Sodium hypochlorite	0.3 - < 2.5 %
	inhalation: LC50 = > 10,5 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 1100 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: >= 5 - 100		

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 3 of 11

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % polycarboxylates, < 5 % chlorine-based bleaching agents, < 5 % phosphonates.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Unsuitable container/equipment material: Metal.

Hints on joint storage

Do not store together with: Acid.

7.3. Specific end use(s)

Hygiene all-purpose detergent

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 5 of 11

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
1310-58-3	Potassium hydroxide		
Worker DNEL, long-term	inhalation	local	1 mg/m ³
Consumer DNEL, long-term	inhalation	local	1 mg/m ³
1310-73-2	Sodium hydroxide		
Worker DNEL, long-term	inhalation	local	1 mg/m ³
Consumer DNEL, long-term	inhalation	local	1 mg/m ³
7681-52-9	Sodium hypochlorite		
Worker DNEL, long-term	inhalation	systemic	1,55 mg/m ³
Worker DNEL, acute	inhalation	systemic	3,1 mg/m ³
Worker DNEL, long-term	inhalation	local	1,55 mg/m ³
Worker DNEL, acute	inhalation	local	3,1 mg/m ³
Worker DNEL, long-term	dermal	local	0,5 %
Consumer DNEL, long-term	inhalation	systemic	1,55 mg/m ³
Consumer DNEL, acute	inhalation	systemic	3,1 mg/m ³
Consumer DNEL, long-term	inhalation	local	1,55 mg/m ³
Consumer DNEL, acute	inhalation	local	3,1 mg/m ³
Consumer DNEL, long-term	dermal	local	0,5 %
Consumer DNEL, long-term	oral	systemic	0,26 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment	Value	
7681-52-9	Sodium hypochlorite	
Freshwater	0,00021 mg/l	
Freshwater (intermittent releases)	0,00026 mg/l	
Marine water	0,000042 mg/l	
Secondary poisoning	11,1 mg/kg	
Micro-organisms in sewage treatment plants (STP)	4,69 mg/l	

8.2. Exposure controls**Appropriate engineering controls**

Ensure sufficient ventilation, especially in closed rooms.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Suitable eye protection: Eye glasses (EN 166)

Hand protection

Use of protective gloves (EN ISO 374-1 / Typ B (KPT))

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 6 of 11

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required if handled as intended.

In case of intensive or prolonged exposure wear self-contained breathing apparatus (EN 133).

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	light yellow	
Odour:	like: Chlorine (Cl ₂)	
Melting point/freezing point:		< -15 °C
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not applicable
		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		> 100 °C
Auto-ignition temperature:		not applicable
Decomposition temperature:		not determined
pH-Value (at 20 °C):		14
Water solubility:		easily soluble
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,27 g/cm ³
Relative vapour density:		not determined

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined
Viscosity / dynamic: (at 20 °C)	< 10 mPa·s

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactions with metals with hydrogen evolution.

Reacts with water and acids, generating heat.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Chlorine gas can be formed with acids.

Hydrogen, in reactions with metals.

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 7 of 11

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Metal.

Keep away from: Acid

10.6. Hazardous decomposition products

No decomposition when stored and used as directed.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 2220,0 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	Potassium hydroxide				
	oral	LD50 mg/kg	333	Rat	ECHA
1310-73-2	Sodium hydroxide				
	oral	LD50 mg/kg	325	Rabbit	ECHA
7681-52-9	Sodium hypochlorite				
	oral	LD50 mg/kg	1100	Rat male	ECHA
	dermal	LD50 mg/kg	> 20000	Rabbit	Manufacturer
	inhalation (1 h) vapour	LC50 mg/l	> 10,5	Rat male	ECHA
					OECD 401
					OECD 402
					OECD 403

Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 8 of 11

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7681-52-9	Sodium hypochlorite					
	Acute algae toxicity	ErC50 mg/l	0,05	72 h	Pseudokirchneriella subcapitata	ECHA OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,026	48 h	Crassostrea virginica larvae	ECHA

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1310-73-2	Sodium hydroxide	-3,8796
7681-52-9	Sodium hypochlorite	-3,42

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 9 of 11

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Potassium hydroxide, Sodium hypochlorite)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8



Classification code:	C5
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide, Potassium hydroxide, Sodium hypochlorite)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8



Classification code:	C5
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2

Marine transport (IMDG)

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide, Sodium hypochlorite)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8



Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B
Segregation group:	18 - alkalis

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	UN 1719
14.2. UN proper shipping name:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide, Sodium hypochlorite)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8



Special Provisions:	A3 A803
Limited quantity Passenger:	0.5 L
Passenger LQ:	Y840
Excepted quantity:	E2
IATA-packing instructions - Passenger:	851
IATA-max. quantity - Passenger:	1 L
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): 0%

Information according to 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

according to UK REACH Regulation

F 8500

Revision date: 22.08.2023

Product code: 89300285

Page 11 of 11

DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety
 assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 EUH031 Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)