

Issuing Date: 10-Mar-2025

Revision date 10-Mar-2025

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identifier C-21152948-004_PGP_CLPR7_EUR_SAW
Product Name Ariel Professional Original POD Washing Capsules
Product Form Mixture
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Restricted to professional users
Uses advised against No information available
Main user category SU 22 - Professional uses
Product category Laundry Unit Dose
Use category PC35 - Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Supplier	Manufacturer
Procter & Gamble UK Brooklands, Weybridge, Surrey, KT13 0XP, UK 01932 896000 Fax: 01932 896200	Tel: ZI Nord 150 rue André Durouchez BP 90045 80082 Amiens Cedex 2 France
P&G DCE bvba/spri-Belgium Dist. Div., Temselaan 100, B-1853 Strombeek-Bever, Belgium (IE) 1800 535 119	Procter & Gamble Uralati Ploiesti Industrial Park, Prahova County, Romania +40 344 229200

For further information, please contact

E-mail address customerservice@pgprof.com

1.4. Emergency telephone number

Emergency Telephone (UK) Emergency Tel: 0800 328 8304 (IRL) Emergency Tel: 1800 509 497

(IRL) Poisons information: for information or to report a poisoning incident contact The National Poisons Information Centre 01 8092166 (8.00 a.m. to 10.00 p.m. 7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Hazardous to the aquatic environment - chronic	Category 3 - (H412)

2.2. Label elements



Signal word
Danger

Hazard statements

H315 - Causes skin irritation
H318 - Causes serious eye damage
H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P310 - Immediately call a POISON CENTER or doctor/physician
P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes
P302 + P352 - IF ON SKIN: Wash with plenty of water
P501 - Dispose of contents/container to an appropriate local waste system

EUH208 - Contains Tetrahydrolinalool; Methylundecanal; Tetramethyl Acetyloctahydronaphthalenes; Citronello; Limonene; Hexyl Salicylate; Delta-Damascone; Isoeugenol May produce an allergic reaction.

2.3. Other hazards

No information available

Endocrine Disruptor Information There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No.	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
MEA-C10-13 Alkyl Benzenesulfonate	85480-55-3	20 - 30	01-21199058 42-39	287-335-8	Acute Tox. 4 (Oral) (H302) Aquatic Chronic 3 (H412) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)	-	-	-
Mea-Laureth Sulfate	68184-04-3	10 - 20	No data available	-	Aquatic Chronic 3 (H412) Eye Dam. 1 (H318)	-	-	-

					Skin Irrit. 2 (H315)			
C12-14 Pareth-n	68439-50-9	5 - 10	No data available	Polymer	Acute Tox. 4 (Oral) (H302) Aquatic Chronic 3 (H412) Eye Dam. 1 (H318)	-	-	-
C12-16 Pareth-n	68551-12-2	0 - 1	No data available	500-221-7	Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412) Eye Irrit. 2 (H319)	-	1	-
Methylundecanal	110-41-8	0 - 1	01-21199694 43-29	203-765-0	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Skin Irrit. 2 (H315) Skin Sens. 1B (H317)	-	1	1
Tetrahydrolinalool	78-69-3	0 - 1	01-21194547 88-21	201-133-9	Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) Skin Sens. 1B (H317)	-	-	-
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	0 - 1	01-21194899 89-04	259-174-3 259-175-9 268-978-3 268-979-9 915-730-3	Aquatic Chronic 1 (H410) Skin Irrit. 2 (H315) Skin Sens. 1B (H317)	-	-	1
Citronellol	106-22-9	0 - 1	01-21194539 95-23	203-375-0	Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) Skin Sens. 1B (H317)	-	-	-
Limonene	5989-27-5	0 - 1	01-21195292 23-47	227-813-5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Asp. Tox. 1 (H304) Flam. Liq. 3 (H226) Skin Irrit. 2 (H315) Skin Sens. 1B (H317)	-	1	1
Oxacyclohexadecanone	111879-80-2	0 - 1	01-00000168 83-62	422-320-3	Aquatic Acute 1 (H400) Aquatic	-	1	1

					Chronic 1 (H410)			
Cis-3-Hexenyl Salicylate	65405-77-8	0 - 1	01-21199873 20-37	265-745-8	Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) Repr. 2 (H361)	-	1	-
Hexyl Salicylate	6259-76-3	0 - 1	01-21196382 75-36	228-408-6	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Skin Sens. 1B (H317)	-	1	1
Delta-Damascone	57378-68-4	0 - 1	01-21195351 22-53	260-709-8 275-156-8	Acute Tox. 4 (Oral) (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Skin Irrit. 2 (H315) Skin Sens. 1A (H317)	-	1	1
Isoeugenol	97-54-1	0 - 1	01-21202236 82-61	202-590-7 227-678-2	Acute Tox. 4 (Dermal) (H312) Acute Tox. 4 (Inhalation:dust,mist) (H332) Acute Tox. 4 (Oral) (H302) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) STOT SE 3 (H335)	Skin Sens. 1A :: 0.01%<=C<100%	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. (Call a physician if symptoms occur).

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Skin contact	IF ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms occur.
Ingestion	Take off contaminated clothing and wash before reuse. Discontinue use of product. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Coughing and/ or wheezing. Redness. Swelling of tissue. Itching. Sneezing. Dryness. Pain. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Excessive secretion. Blurred vision.
-----------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Alcohol resistant foam. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	None in particular.
---	---------------------

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for containment	Scoop absorbed substance into closing containers.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small quantities of liquid spill: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Avoid contact with skin. Avoid contact with eyes. Use personal protection equipment. Do not eat, drink or smoke when using this product.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep/store only in original container. Keep tightly closed in a dry and cool place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Limonene	-	-	-	TWA: 25 ppm TWA: 150 mg/m ³ STEL: 50 ppm STEL: 300 mg/m ³	TWA: 25 ppm TWA: 140 mg/m ³ STEL: 50 ppm STEL: 280 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Limonene	TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 5 ppm TWA: 28 mg/m ³ Sk* Sh+	TWA: 5 ppm TWA: 28 mg/m ³ Peak: 20 ppm Peak: 112 mg/m ³ Sk*	-	-
Isoeugenol	-	-	skin sensitizer	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Limonene	-	-	-	-	TWA: 25 ppm TWA: 150 mg/m ³ STEL: 50 ppm STEL: 300 mg/m ³ J+
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Limonene	-	-	-	TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³ A+	-
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Limonene	-	-	-	TWA: 28 mg/m ³ TWA: 5 ppm STEL: 20 ppm STEL: 112 mg/m ³ Sk*	TWA: 30 ppm TWA: 168 mg/m ³ Sk* Sen+
Chemical name	Sweden	Switzerland	United Kingdom	Israel - Occupational Exposure Limits - TWAs	Turkey
Limonene	NGV: 25 ppm NGV: 150 mg/m ³ S+	TWA: 7 ppm TWA: 40 mg/m ³ STEL: 14 ppm STEL: 80 mg/m ³ S+	-	-	-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) Long term.

Chemical name	Worker - dermal, long-term - systemic	Worker - inhalative, long-term - systemic	Worker - dermal, long-term - local	Worker - inhalative, long-term - local

MEA-C10-13 Alkyl Benzenesulfonate	119 mg/kg bw/day	6.71 mg/m ³	-	12 mg/m ³
Tetrahydrolinalool	3.16 mg/kg bw/day	11.14 mg/m ³	0.19 mg/cm ²	-
Methylundecanal	10.46 mg/kg bw/day	36.89 mg/m ³	35.7 mg/cm ²	92.21 mg/m ³
Tetramethyl Acetyloctahydronaphthalenes	28.7 mg/kg bw/day	30 mg/m ³	0.648 mg/cm ²	-
Citronellol	327.4 mg/kg bw/day	161.6 mg/m ³	-	10 mg/m ³
Limonene	9.5 mg/kg bw/day	66.7 mg/m ³	-	-
Cis-3-Hexenyl Salicylate	0.9 mg/kg bw/day	1.59 mg/m ³	-	-
Hexyl Salicylate	6.4 mg/kg bw/day	1.7 mg/m ³	0.885 mg/cm ²	-
Delta-Damascone	2.1 mg/kg bw/day	1.5 mg/m ³	0.116 mg/cm ²	-

Chemical name	Consumer - oral, long-term - local	Consumer - inhalative, long-term - local	Consumer - dermal, long-term - local
MEA-C10-13 Alkyl Benzenesulfonate	-	3 mg/m ³	-
Tetrahydrolinalool	-	-	0.19 mg/cm ²
Methylundecanal	-	22.74 mg/m ³	17.86 mg/cm ²
Tetramethyl Acetyloctahydronaphthalenes	-	-	0.38 mg/cm ²
Citronellol	-	10 mg/m ³	-
Hexyl Salicylate	-	-	0.443 mg/cm ²
Delta-Damascone	-	-	0.069 mg/cm ²

Chemical name	Consumer - oral, long-term - systemic	Consumer - inhalative, long-term - systemic	Consumer - dermal, long-term - systemic
MEA-C10-13 Alkyl Benzenesulfonate	0.425 mg/kg bw	1.18 mg/m ³	42.5 mg/kg bw/day
Tetrahydrolinalool	1.58 mg/kg bw	2.75 mg/m ³	1.58 mg/kg bw/day
Methylundecanal	5.23 mg/kg bw	9.1 mg/m ³	5.23 mg/kg bw/day
Tetramethyl Acetyloctahydronaphthalenes	3 mg/kg bw	9 mg/m ³	17.2 mg/kg bw/day
Citronellol	13.8 mg/kg bw	47.8 mg/m ³	196.4 mg/kg bw/day
Limonene	4.8 mg/kg bw	16.6 mg/m ³	4.8 mg/kg bw/day
Cis-3-Hexenyl Salicylate	0.23 mg/kg bw	0.39 mg/m ³	0.45 mg/kg bw/day
Hexyl Salicylate	0.3 mg/kg bw	0.4 mg/m ³	3.2 mg/kg bw/day
Delta-Damascone	0.25 mg/kg bw	0.43 mg/m ³	0.25 mg/kg bw/day

Derived No Effect Level (DNEL) Short term.

Chemical name	Worker - dermal, short-term - systemic	Worker - inhalative, short-term - systemic	Worker - dermal, short-term - local	Worker - inhalative, short-term - local
Tetrahydrolinalool	-	-	2.760 mg/cm ²	-
Methylundecanal	100 mg/kg bw/day	352.63 mg/m ³	71.43 mg/cm ²	881.58 mg/m ³
Citronellol	-	-	2.95 mg/cm ²	10 mg/m ³
Limonene	-	-	0.222 mg/cm ²	-
Hexyl Salicylate	20830 mg/kg bw/d	7.29 mg/m ³	1.475 mg/cm ²	-
Delta-Damascone	-	-	0.014 mg/cm ²	-

Chemical name	Consumer - inhalative, short-term - local	Consumer - dermal, short-term - local
Tetrahydrolinalool	-	2.760 mg/cm ²
Methylundecanal	217.39 mg/m ³	35.71 mg/cm ²
Citronellol	10 mg/m ³	2.95 mg/cm ²
Limonene	-	0.111 mg/cm ²
Hexyl Salicylate	-	0.443 mg/cm ²
Delta-Damascone	-	0.009 mg/cm ²

Chemical name	Consumer - oral, short-term - systemic	Consumer - inhalative, short-term - systemic	Consumer - dermal, short-term - systemic
Methylundecanal	25 mg/kg bw	86.96 mg/m ³	50 mg/kg bw/day
Hexyl Salicylate	1.25 mg/kg bw/d	2.19 mg/m ³	12500 mg/kg bw/d

Predicted No Effect Concentration (PNEC)

Chemical name	Fresh Water	Marine water	Intermittent release
MEA-C10-13 Alkyl Benzenesulfonate	0.268 mg/L	0.027 mg/L	0.022 mg/L
Tetrahydrolinalool	0.009 mg/L	0.001 mg/L	0.089 mg/L
Methylundecanal	0.66 mg/L	0 mg/L	0.002 mg/L
Tetramethyl Acetyloctahydronaphthalenes	0.025 mg/L	0.003 mg/L	-
Citronellol	0.002 mg/L	0 mg/L	0.024 mg/L
Limonene	0.014 mg/L	0.001 mg/L	-
Cis-3-Hexenyl Salicylate	0 mg/L	0 mg/L	0.006 mg/L
Oxacyclohexadecenone	0.003 mg/L	0 mg/L	-
Hexyl Salicylate	0 mg/L	0 mg/L	0.004 mg/L
Delta-Damascone	0.007 mg/L	0.001 mg/L	0.004 mg/L

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment plant	Soil	Air	Oral
MEA-C10-13 Alkyl Benzenesulfonate	8.1 mg/kg dwt	0.81 mg/kg dwt	3.43 mg/L	35 mg/kg dwt	-	-
Tetrahydrolinalool	0.082 mg/kg dwt	0.008 mg/kg dwt	450 mg/L	0.011 mg/kg dwt	-	-
Methylundecanal	0.265 mg/kg dwt	0.027 mg/kg dwt	10 mg/L	0.053 mg/kg dwt	-	-
Tetramethyl Acetyloctahydronaphthalenes	3.73 mg/kg dwt	0.75 mg/kg dwt	10 mg/L	2.7 mg/kg dwt	-	-
Citronellol	0.026 mg/kg dwt	0.003 mg/kg dwt	580 mg/L	0.004 mg/kg dwt	-	-
Limonene	3.85 mg/kg dwt	0.385 mg/kg dwt	1.8 mg/L	0.763 mg/kg dwt	-	-
Cis-3-Hexenyl Salicylate	0.11 mg/kg dwt	0.011 mg/kg dwt	10 mg/L	0.022 mg/kg dwt	-	-
Oxacyclohexadecenone	21 mg/kg dwt	4.2 mg/kg dwt	10 mg/L	5.44 mg/kg dwt	-	-
Hexyl Salicylate	0.272 mg/kg dwt	0.027 mg/kg dwt	10 mg/L	0.054 mg/kg dwt	-	-
Delta-Damascone	0.958 mg/kg dwt	0.096 mg/kg dwt	2.41 mg/L	0.187 mg/kg dwt	-	-

8.2. Exposure controls

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Protective gloves.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Environmental exposure controls Prevent that the undiluted product reaches surface waters.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Liquid

Color	Coloured	
Odor	Pleasant (perfume)	
Odor threshold	Not applicable	
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	Not available. This property is not relevant for the safety and classification of this product
Initial boiling point and boiling range	> 90 °C	
Flammability		Not applicable. This property is not relevant for liquid product forms
Flammability Limit in Air		Not available. This property is not relevant for the safety and classification of this product
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No Flash to Boiling (NFTB)	
Autoignition temperature	No data available	Not available. This property is not relevant for the safety and classification of this product
Decomposition temperature	No Data Available	Not available. This property is not relevant for the safety and classification of this product
pH	7 - 8	
Dynamic viscosity	No Data Available	Not available. This property is not relevant for the safety and classification of this product
Water solubility	Soluble in water	
Solubility(ies)	No Data Available	Not available. This property is not relevant for the safety and classification of this product
Partition coefficient	No Data Available	Not available. This property is not relevant for the safety and classification of this product
Vapor pressure	No Data Available	Not available. This property is not relevant for the safety and classification of this product
Relative density	1	
Relative vapor density	No data available	Not available. This property is not relevant for the safety and classification of this product
Particle characteristics		Not available. This property is not relevant for the safety and classification of this product
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
No information available

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

No information available

Acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
MEA-C10-13 Alkyl Benzenesulfonate	1089 mg/kg (RAT)	5001 mg/kg (RABBIT)	-
C12-14 Pareth-n	>300-2000 mg/kg bw (Rat)	> 5000 mg/kg bw	-
Methylundecanal	5001 mg/kg (RAT)	8281 mg/kg (Rabbit)	-
Tetrahydrolinalool	8270 mg/kg bw	5001 mg/kg (RABBIT)	> 0.885 mg/L air
Tetramethyl Acetyloctahydronaphthalenes	//	5001 mg/kg (Rat)	//
Citronellol	3450 mg/kg bodyweight (rat)	2650 mg/kg bodyweight (rabbit)	-
Limonene	5001 mg/kg (RAT)	5001 mg/kg (RABBIT)	-
Oxacyclohexadecenone	-	5001 mg/kg (Rat)	-
Cis-3-Hexenyl Salicylate	= 5 g/kg (Rat)	5001 mg/kg (Rabbit)	-
Hexyl Salicylate	5001 mg/kg (RAT)	5001 mg/kg (Rabbit)	-
Delta-Damascone	1400 mg/kg (RAT)	5001 mg/kg (RABBIT)	-
Isoeugenol	= 1560 mg/kg (Rat)	1900 mg/kg (RAT)	-

--	--	--	--

Chemical name	Carcinogenicity	Species	Eye Damage	Species	Developmental toxicity	Species	Mutagenicity	Species
MEA-C10-13 Alkyl Benzenesulfonate	-	-	OECD 405	-	-	-	-	-
C12-14 Pareth-n	-	-	OECD 405	-	-	-	-	-
Tetrahydrolinalool	-	-	Y	-	-	-	-	-
Citronellol	-	-	Y (OECD 405)	-	-	-	-	-

Chemical name	Reproductive toxicity	Species	Skin corrosion/irritation	Species	Sensitization	Species
MEA-C10-13 Alkyl Benzenesulfonate	-	-	Y (100%; OECD 404)	-	-	-
Tetrahydrolinalool	-	-	Y	-	-	-
Methylundecanal	-	-	Y	-	-	-
Tetramethyl Acetyloctahydronaphthalenes	-	-	OECD 439	-	-	-
Citronellol	-	-	Y (OECD 404)	-	-	-
Limonene	-	-	Y (OECD 404)	-	-	-
Cis-3-Hexenyl Salicylate	180 mg/kg bw (OECD 415)	-	-	-	-	-
Hexyl Salicylate	-	-	Y (OECD 404)	-	-	-
Delta-Damascone	-	-	Y (OECD 439)	-	-	-

Chemical name	Skin sensitization	Species	STOT - single exposure	STOT RE 1 target organ(s)	Species	STOT - repeated exposure	STOT RE 2 target organ(s)	Species	Aspiration hazard
Tetrahydrolinalool	Y (OECD 429)	-	-	-	-	-	-	-	-
Methylundecanal	Y (OECD 429)	-	-	-	-	-	-	-	-
Tetramethyl Acetyloctahydronaphthalenes	OECD 429	-	-	-	-	-	-	-	-
Citronellol	Y (OECD 429)	-	-	-	-	-	-	-	-
Limonene	Y (OECD 429)	-	-	-	-	-	-	-	-
Hexyl Salicylate	Y IOECD 429)	-	-	-	-	-	-	-	-
Delta-Damascone	N (OECD 429)	-	-	-	-	-	-	-	-
Isoeugenol	-	-	-	-	-	-	nasal cavity	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Risk of serious damage to eyes.

Respiratory or skin sensitization Not applicable.

Germ cell mutagenicity None known.

Carcinogenicity None known.

Reproductive toxicity None known.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Hexyl Salicylate	Repr. 2

STOT - single exposure None known.

STOT - repeated exposure None known.

Aspiration hazard Not applicable.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

11.2.2. Other information

Other adverse effects None known.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
MEA-C10-13 Alkyl Benzenesulfonate	10.9 mg/L (OECD 201; Microcystis aeruginosa; 96 h)	2.22 mg/L (OECD 203; Danio rerio; 96 h)	-	7.01 mg/L (Daphnia magna; 48 h)
C12-14 Pareth-n	>1-10 mg/L (OECD 201; Desmodesmus subspicatus (green algae); static test)	1.2 mg/L (OECD 203; Danio rerio; 96 h)	3 mg/L (Pseudomonas putida; 5 h)	> 1 - 10 mg/L (OECD 202; Daphnia magna; static test)
Methylundecanal	0.18 mg/L (OECD 201; Pseudokirchneriella subcapitata; 72 h)	0.35 mg/L (OECD 203; Oncorhynchus mykiss; 96 h)	-	0.21 mg/L (OECD 202; Daphnia magna; 48 h)
Tetrahydrolinalool	21.6 mg/L (Desmodesmus subspicatus; 72 h)	8.9 mg/L (OECD 203; Danio rerio; 96 h)	1000 mg/L (Pseudomonas putida; 0.5 h)	14.2 mg/L (OECD 202; Daphnia magna; 48 h)
Tetramethyl	2.8 mg/L (OECD 201;)	1.3 mg/L (OECD 203;)	-	1.38 mg/L (OECD 202;)

Acetyloctahydronaphthalenes	Desmodesmus subspicatus; 72 h)	Lepomis macrochirus; 96 h)		Daphnia magna; 48 h)
Citronellol	2.4 mg/L (72 h)	14.66 mg/L (Leuciscus idus; 96 h)	10001 mg/L (Pseudomonas putida; 0.5 h)	17.48 mg/L (EU Directive 79/831/EEC, Annex V, part C.; Daphnia magna; 48 h)
Limonene	0.32 mg/L (OECD 201; Pseudokirchneriella subcapitata; 72 h)	0.72 mg/L (OECD 203; Pimephales promelas; 96 h)	209 mg/L (OECD 209; activated sludge of a predominantly domestic sewage; 3 h)	0.307 mg/L (OECD 202; Daphnia magna; 48 h)
Oxacyclohexadecenone	0.47 mg/L (EU Method C.3; Desmodesmus subspicatus; 72 h)	0.797 mg/L (OECD 203; Oncorhynchus mykiss 96 h)	101 mg/L (OECD 209; activated sludge of a predominantly domestic sewage; 3 h)	0.6 mg/L (OECD 202; Daphnia magna; 48 h)
Cis-3-Hexenyl Salicylate	0.61 mg/L (OECD 201; Desmodesmus subspicatus; 72 h)	0.66 mg/L (OECD 203; Oncorhynchus mykiss; 96 h)	-	0.6 mg/L (OECD 202; Daphnia magna; 48 h)
Hexyl Salicylate	0.61 mg/L (OECD 201; Desmodesmus subspicatus; 72 h)	1.34 mg/L (EU Method C.1; Danio rerio; 96 h)	-	0.357 mg/L (OECD 202; Daphnia magna; 48 h)
Delta-Damascone	4.54 mg/L (OECD 201; Raphidocelis subcapitata; 72 h)	0.97 mg/L (OECD 203; Oryzias latipes; 96 h)	241 mg/L (OECD 209; activated sludge; 3 h)	1.18 mg/L (OECD 211; Daphnia magna; 21 d)

Chronic Toxicity

Chemical name	Toxicity to algae (NOEC or ECx)*	Toxicity to fish (NOEC or ECx)*	Toxicity to daphnia and other aquatic invertebrates (NOEC or ECx)*	Toxicity to Microorganisms (NOEC or ECx)*	Toxicity to other organisms
MEA-C10-13 Alkyl Benzenesulfonate	0.268 mg/L (Mesocosm model ecosystem; 56 d)	0.23 mg/L (Oncorhynchus mykiss; 72 d)	0.268 mg/L (56 d)	-	0.268 mg/L (Read across data on dodecyl linear alkylbenzene sulfonate ; guideline not indicated; mayfly, chironomid, and aquatic worm; freshwater; 56 d)
C12-14 Pareth-n	-	0.28 mg/L (Pimephales promelas; 30 d)	0.77 mg/L (Daphnia magna; 21 d)	-	-
Methylundecanal	0.089 mg/L (OECD 201; Pseudokirchneriella subcapitata; 3 d)	0.11 mg/L (OECD 203; Oncorhynchus mykiss; 4 d)	0.033 mg/L (OECD 211; Daphnia magna; 21 d)	(100 mg/L (OECD 301F; activated sludge of a predominantly domestic sewage; 22 d))	-
Tetrahydrolinalool	9.5 mg/L (DIN 38 412, L9; Desmodesmus subspicatus; 3 d)	5 mg/L (OECD 203; Danio rerio; 4 d)	8.2 mg/L (OECD 202; Daphnia magna; 2 d)	(EC10: 450 mg/L (DIN 38412-27; Pseudomonas putida; 0.5 h))	-
Tetramethyl Acetyloctahydronaphthalenes	2.6 mg/L (OECD 201; Desmodesmus subspicatus; 3 d)	0.16 mg/L (OECD 210; Danio rerio; 30 d)	0.028 mg/L (OECD 211; Daphnia magna; 21 d)	(> 100 mg/L (OECD 301 F; 42 d))	101 (OECD 301 F; activated sludge of a predominantly domestic sewage; 42 d)
Citronellol	1.1 mg/L (Scenedesmus subspicatus; 3 d)	4.6 mg/L (Leuciscus idus; 4 d)	3.1 mg/L (Daphnia magna; 2 d)	(580 mg/L (DIN 38412, Part 27; Pseudomonas putida; 0.02083 d))	-
Limonene	50 mg/L (OECD 201; Desmodesmus subspicatus; 3 d)	0.37 mg/L (OECD 212; Pimephales promelas; 8 d)	-	(18 mg/L (OECD 209; 0.125 d))	-
Oxacyclohexadecenone	0.26 mg/L (EU Method C.3; Desmodesmus subspicatus; 3 d)	0.027 mg/L (OECD 210; Pimephales promelas; 33 d)	0.068 mg/L (Equivalent or similar to guideline OECD 211; Daphnia magna; 21 d)	-	100 mg/L (OECD 209; activated sludge of a predominantly domestic sewage; 0.125 d)

Cis-3-Hexenyl Salicylate	0.15 mg/L (OECD 201; Desmodosmus subspicatus; 3 d)	0.65 mg/L (OECD 203; Oncorhynchus mykiss; 4 d)	0.33 mg/L (OECD 202; Daphnia magna; 2 d)	-	-
Hexyl Salicylate	0.15 mg/L (OECD 201; Desmodosmus subspicatus; 3 d)	-	0.14 mg/L (OECD 202; daphnia magna; 2 d)	-	-
Delta-Damascone	0.38 mg/L (OECD 201; Raphidocelis subcapitata; 3 d)	0.118 mg/L (OECD 210; Pimephales promelas; 32 d)	0.35 mg/L (OECD 211; Daphnia magna; 21 d)	-	-

12.2. Persistence and degradability

Persistence and degradability

Chemical name	Ready Biodegradation Test (OECD 301)	Abiotic Degradation Hydrolysis	Abiotic Degradation Photolysis	Biodegradation Other Tests
MEA-C10-13 Alkyl Benzenesulfonate	85 % (OECD 301 B; CO2 evolution; 29 d)	-	-	t1/2: < 22 d (Read across data on sodium 4-undecylbenzenesulfonate; guideline not indicated; sludge amended soil)
Mea-Laureth Sulfate	90 % (OECD 303 A)	-	-	-
C12-14 Pareth-n	95 % (O2; OECD 301 F; 28 d)	-	-	-
C12-16 Pareth-n	60 % (OECD 301B; 28d; aerobic)	-	-	-
Tetrahydrolinalool	65 % (OECD 301 F; O2; 28 d; 10-day window criteria fulfilled; 28 d)	-	1.125	-
Methylundecanal	68 % (O2; OECD 301 F; 22 d)	-	-	-
Tetramethyl Acetyloctahydronaphthalenes	0 % (OECD 301 C; aerobic; mixture of sewage, soil and natural water, O2 consumption; 28 d)	-	0.054	50 (OECD 314; aerobic; 1.9 d)
Citronellol	85 % (O2 consumption; 28 d)	-	0.16	-
Limonene	71.4 % (CO2; OECD 301 B; 28 d)	-	-	-
Cis-3-Hexenyl Salicylate	89 % (OECD 301 F; O2 consumption; 10 day window criteria fulfilled; 28 d)	-	-	-
Oxacyclohexadecenone	96.7 % (OECD 301 F; O2 consumption; 28 d)	365 (OECD 111)	-	-
Hexyl Salicylate	91 % (O2; OECD 301 F; 28 d)	-	-	91% O2; OECD 301 F; 82% (10 d)
Delta-Damascone	16 % (O2; OECD 301; 28 d)	332 d (OECD 111)	-	0% O2; 28 d; OECD 301 C

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
MEA-C10-13 Alkyl Benzenesulfonate	1.73
Methylundecanal	4.9
Tetrahydrolinalool	3.3
Tetramethyl Acetyloctahydronaphthalenes	5.7
Citronellol	3.41
Limonene	4.38
Cis-3-Hexenyl Salicylate	4.8
Hexyl Salicylate	5.5

Chemical name	Octanol/water partition coefficient	Bioconcentration factor (BCF)
MEA-C10-13 Alkyl Benzenesulfonate	2.51 (OECD 123)	495 L/kg

C12-14 Pareth-n	5.24 (OECD 123)	-
Tetrahydroinalool	3.3 (OECD 107)	99.87 L/kg
Methylundecanal	4.9 (OECD 117)	2917 L/kg
Tetramethyl Acetyloctahydronaphthalenes	5.6 (OECD 117)	-
Citronellol	3.41	82.59 L/kg
Limonene	4.38 (OECD 117)	864.8 L/kg
Cis-3-Hexenyl Salicylate	4.8 (OECD 117)	-
Oxacyclohexadecenone	5.45 (OECD 123)	-
Hexyl Salicylate	5.5 (OECD 117)	8913 L/kg
Delta-Damascone	4.2	-

12.4. Mobility in soil

Mobility in soil

Chemical name	log Koc
MEA-C10-13 Alkyl Benzenesulfonate	3.5
C12-14 Pareth-n	267.1
Tetrahydroinalool	56.3 (56.3)
Methylundecanal	3981 (3981 (OECD 121))
Tetramethyl Acetyloctahydronaphthalenes	4.12
Citronellol	70.79 (70.79)
Limonene	6324
Cis-3-Hexenyl Salicylate	5052
Oxacyclohexadecenone	4.65 (OECD 121)
Hexyl Salicylate	2981 (2981)
Delta-Damascone	1259 (1259 (OECD 121))

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
C12-14 Pareth-n	The substance is not PBT / vPvB
Methylundecanal	The substance is not PBT / vPvB
Tetrahydroinalool	The substance is not PBT / vPvB
Citronellol	The substance is not PBT / vPvB
Limonene	The substance is not PBT / vPvB
Cis-3-Hexenyl Salicylate	The substance is not PBT / vPvB
Hexyl Salicylate	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

12.7. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. Waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. Empty, uncleaned packaging need the same disposal considerations as filled packaging. For handling waste, see measures described in section 8. Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse empty containers.

Waste codes / waste designations

20 01 29* - detergents containing dangerous substances

according to EWC

15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADN

14.1 UN number or ID number	Not relevant
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	No information available
14.4 Packing group	Not relevant
14.5 Marine pollutant	Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Limonene	RG 84	-

Germany

Water hazard class (WGK) obviously hazardous to water (WGK 2)

Chemical name	Chemical Prohibition Ordinance (ChemVerbotsV)
D-Limonene 5989-27-5	2.1

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII) Regulation (EC) No. 648/2004 (Detergents regulation) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP] Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Limonene	75	-
Hexyl Salicylate	75	-
Isoeugenol	75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Limonene	Plant protection agent

CESIO Recommendations

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

Chemical Safety Report

No chemical safety assessment has been carried out for this mixture per REACH regulation.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H226 - Flammable liquid and vapor
H302 - Harmful if swallowed
H304 - May be fatal if swallowed and enters airways
H312 - Harmful in contact with skin
H315 - Causes skin irritation

- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H319 - Causes serious eye irritation
- H332 - Harmful if inhaled
- H335 - May cause respiratory irritation
- H361 - Suspected of damaging fertility or the unborn child
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects
- H411 - Toxic to aquatic life with long lasting effects
- H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Chronic aquatic toxicity	Calculation method

Issuing Date: 10-Mar-2025

Revision date 10-Mar-2025

Further information Salts listed in Section 3 without a REACH Registration number are exempt, based on Annex V.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet